



CONSTRUCTION REGULATIONS

FOR EXCAVATION AND CONSTRUCTION
ON MUNICIPAL RIGHT OF WAYS

MUNICIPAL RIGHT OF WAY EXCAVATION & CONSTRUCTION APPLICATION

Rules and Regulation within the Village of Rexton

- 1) This permit must be obtained a minimum of 48 hours in advance. Exceptions will be considered under extraordinary circumstances. There will be a one dollar (\$1.00) fee for this permit. Under no circumstances will work begin before the issuing and signing of this permit.
- 2) A cutting wheel must be used when there is a need to remove asphalt on streets.
- 3) The contractor is responsible to repair and to notify municipal employees of any damages that may have occurred during digging.
- 4) No back filling will be done without a municipal appointed representative being on site to inspect the work of new connections, breaks, repairs, and/or back filling procedure.
- 5) The contractor is responsible for the cost and or replacement of damages curbs, sidewalk and asphalt which may occur during digging.
- 6) The municipality will have the asphalt replaced and will have the contractor invoiced for the cost. The thickness of the replacement asphalt will equal the amount which was removed or to the discretion of the municipality.
- 7) When permission is granted to excavate on a street within the Village of Rexton the following procedure must be followed:
 - a) Any of the material that has been dug from this excavation, is not to be used for back fill unless approved by a municipal appointed representative.
 - b) Before back filling, there must be 6 inches on the bottom and 12 inches of (0-1 1/4) crush stone on the top of any sewer service line. (Not covered until inspected by municipal representative).
 - c) Any trench being dug, on any street within the Village of Rexton, will use the following formula to determine the minimum necessary width of trench. For every foot in depth the trench must be dug 1 1/2 times in width. Example: 4ft. deep trench x 1 1/2 = 6 ft. wide. This trench can be tapered towards the top as approved by the municipal representative.
 - d) After bedding of the sewer pipe in crushed stone (0-1 1/4) as required, the balance of fill used can be gravel. This gravel must be compacted every 18 inches until reaching 2 1/2 feet from the top of trench. At that point, the completion of back fill to be used will be 0 to 1 1/4 in. (pit run). This last 2 1/2 ft. or pit run material will be compacted every 12 inches.
- 8) The Contractor is required to follow all safety regulations as required by Provincial Law.

A sewer permit must be granted before any connection or digging can begin. Where applicable, all the above information also applies to permits granted for storm sewer or culvert work whether it be repairs or new connections.

_____	_____
<i>Customer</i>	<i>Village of Rexton Representative</i>
_____	_____
<i>Date</i>	<i>Date</i>